		产品信息表 ification & Features Table	实拍图片 Photos
Control Cont	品牌车型	吉利 博越L 2.0TD DCT尊贵型	
Date in product of the product of th	Make/Type		
Seal Part	Versions		
Back Parameters (1997 to 1998 to 1997 to 1998	制作年份 Manufacture Year	2023 Mode1	
Basic Parameters OLIVE STATE	manufacture rear	基本参数	
Control Cont	Bas	sic Parameters	
### ### ### ### ### ### ### ### ### ##	发动机	160kW(2.0L涡轮增压)	
SAR Process	加力类型	汽油机	
Content Process of the Content and Content	Power Type	Gasoline Engine 7均可能へ	服务中心 ——
	Gearbox		
\$ 9.00	长×宽×高(mm) Length/Width/Height (mm)	4670×1900×1705	
### ### ### ### ### ### ### ### ### ##	车身结构		
Name	Body Structure 最高在油(km/h)		
### ACRES 1985	Maximum Vehicle Speed (km/h)	215	
COLOR COLOR CONTROL OF CONTROL OF CONTROL OF COLOR COL		_	
Control Cont	(s)		
St. C. (1996) St. C. (1996		6.7	
### (### 1990	NEDC (L/100km)	0. /	
COMMON C	WLTC综合油耗(L/100km)		
## Section 1900 190		7. 4	
Victorian Vict	车长 (mm)	4670	
Victorian Vict		4010	
### Comment of the Co		1900	
Windows Wind	车高(mm)	1705	
BackBlook Back			EM NGAN AUTO A R
Gross Mac (181)	Wheelbase (mm)	2777	
### ### ### ### ### ### ### ### ### #		1610	
Total Mass of Quast-trailer (Qu)	准拖挂车总质量(kg)		
Minima Cross Constraint Constraint Constraint Con	Total Mass of Quasi-trailer (kg)	-	
### ### ### ### ### ### ### ### ### ##		-	
1518	前轮距(mm)	1618	THE REAL PROPERTY OF THE PARTY
100	Front Wheel Tread (mm) 后轮距(mm)	4040	
Company of Company	Rear Wheel Tread (mm)		
### 1	接近用(*) Approach angle(*)	20	
### 1	通过角(°)	-	
Section Sec	离去角(°)	26.5	
Deck Structure	Off-angle (°) 车身结构		
10	Body Structure	SUV	75
5		5	
### 1	座位数	5	
Tank Volume (1) Front Lagage Compartment (1) Book March (1) Front Lagage Compartment (1) Book March (1) Front Lagage Compartment (1) Book March (1) Front Lagage Compartment (1) Front Compartment (1)			
## 2	Tank Volume (L)	54	
「日本 Minima Trunk Volume (L) 日本 Minima Luggage Comportment Volume (L) Program Model Radius Radiu	前行李厢容积(L)	_	
The Ministan Trush Volume (1)			
15		650	
Note	行李厢最大容积(L)		
及动机	The Maximum Luggage Compartment	1610	7年2日
Engine Date	TOTUME (L)	 	
深時間等			
1987年 1988年 19			
Bisplacement (al.) 1969 Bis	Engine Model 非量(L)		
Displacement (al.) 基代形形	Displacement (L)	2. 0	
選生形式 は r Intake Form 「Urbo Charged では対象形式 (Cylinder Arangement (Cylinder Arangement (Tilinder Cylinder (one) 基本性の (Tilinder Diameter (nm)	Displacement (mL)		
(日前の中 Arrangement In-line (L-type)	进气形式		
作品を 4	气缸排列形式	直列(L型)	
Cylinders #Au*CyRig(+r) Valves Per Cylinder (one) #Au*CyRig(+r) #Au*Cyrinder (one) #Au*Cyrinder (one	Cylinder Arrangement 汽缸数		
「新作文 Per Cylinder Hook 「表現 Per Cylinder Hook 「表現 Per Cylinder Hook 「表現 Per Cylinder Hoo	Cylinders		
DOBC **CRE*** Marisation Goar** **Critical District Common Critical Marisation Goar** **Critical Critical Critical Marisation Goar** **Marisation Graph Goar** **Mari	Valves Per Cylinder (one)	4	
DOBC		-	THE RESERVE THE PROPERTY OF TH
Administration Gear	配气机构	DOHC	ALL NAMES OF STREET
Cylinder Diameter (mm) Frewel (mm) Law Holl			
Travel (ma) 能差相 Material Cylinder Head Material Oylinder Head Mide Mide Material of Cylinder Block Material Forewore (Pa) Material Forewore (Wa/rpm) Material Fower (Wa/rpm) Petrol Fower	Cylinder Diameter (mm)		- FI W
Material Cylinder Bload 旅体料度 Material of Cylinder Block Material of Cylinder Block Maximan Borsepower (Ps) Maximan Borsepower (Ps) Maximan Borsepower (W/rpm) Maximan Fower (W/rpm) Maximan Fower (W/rpm) Maximan Fower (W/rpm) Maximan Fower (W/rpm) SZS/- Maximan Torque (Ma/rpm) 等特別 Petrol SZM Petrol S	打在(mm) Travel (mm)		
部合と	缸盖材质		
株式	紅体材质	铝合金	
Maxima Borsepower (Pa) 最大海(紹介)			
Maximum Power (AFrpum) 1.000	Maximum Horsepower (Ps)		汽车之度 社 年 年
総大郎(Km/rpm) 325/- Maximan Torque (Nm/rpm) 325/- 総料	Maximum Power (kW/rpm)	160/-	
祭料	最大扭矩(Nm/rpm) Maximum Torque (Nm/rnm)	325/-	
原語等等 Five I Label	燃料		
Fuel Label 95 廣海方式 直喷 0il Supply Mode Direct in jection	燃油标号		
Direct in jection 解析			
Environmental Protection Standard Country VI 支持的目的 Market Engine Start/Stop **The Association of the Start Stop **The Associatio	Oil Supply Mode	Direct injection	
发动机自动队/伊 Automatic Engine Start/Stop 变速箱 gearbox		国VI	
变速箱 gearbox	发动机自动启/停		The state of the s
gearbox	Automatic Engine Start/Stop		THE RESERVE THE PROPERTY OF TH
MALA SE			
Number of Gears	 挡位个数		
	Number of Gears	7	

变速箱类型	双离合
Gearbox Type	dual clutch
变速箱名称	7档双离合变速箱
Gearbox Name	7-speed dual clutch gearbox
	底盘转向
Cha	ssis Steering
驱动方式	前置前驱
Driving Mode	Precursor
车体结构	承载式
Car Body Structure	Bearing Type
助力类型	电动助力
Type of Assistance	Electric Assist
前悬挂类型	麦弗逊式独立悬挂
Front Suspension Type	Mcpherson Independent Suspension
后悬挂类型	多连杆式独立悬挂
Rear Suspension Type	Multi-link independent suspension
前桥限滑差速器/差速锁	
Front Axle Limited Slip	-
Differential/Differential Lock	
中央差速器锁止功能	
Center Differential Locking Function	
后桥限滑差速器/差速锁	
Rear Axle Limited Slip	-
Differential/Differential Lock	

	车轮制动 Wheel Braking
前制动器类型	通风盘式
Type of Front Brake	Ventilated Disc
后制动器类型	盘式
Type of Rear Brake	Disc-Type
驻车制动类型	电子驻车
Parking Brake Type	electrical parking brake
前轮胎规格	235/50 R19
Former Tyre Size	230/30 R13
后轮胎规格	235/50 R19
Houtyre Size	230/30 R19
备胎	非全尺寸
Spare Wheel	Non-Full-Size

安全	と配置
Security C	onfiguration
主/副驾驶座安全气囊	主 ● / 副 ●
First/Second Passenger Seat Airbag	Firet ● / Second ●
头部气膏(气帘)	前 ● / 后 ●
Head Airbag (Air Curtain)	Front ● / After ●
例气素	前 ● / 后 -
Side Airbag	Front ● / After -
接部气業	
Knee Airbag	-
前排中间气囊	
Front Middle Airbag	-
副驾驶座垫式气囊	
Passenger Seat Cushion Airbag	-
后排安全带式气囊	
Rear Seat Belt Airbag	
被动行人保护	_
Passive Pedestrian Protection	
副驾安全气囊开关	
Auxiliary Airbag Switch	
儿童座椅接口	
Child Seat Interface	•
胎压监测装置	
Tire Pressure Monitoring Device	<u> </u>
零胎压继续行驶	
Keep Driving at Zero Tire Pressure	
安全带未系提示	
Safety Belt Unfastened Prompt	•
防盗报警器	
Burglar Alarm	-
发动机防盗锁止	
Engine Anti-theft Lock	•
车内中控锁	
Central Locking in Car	•
遥控钥匙	
Remote (car) Key	•
疲劳驾驶提示	_
Fatigue Driving Warning	_
夜视系统	_
Night Vision System	
tier to	A. marine (1991)

vigit vision system	_
操控動	
Manipula	ation
ABS防抱死	
ABS	•
制动力分配(EBD/CBC等)	
Brake Force Distribution (EBD/CBC,	•
etc.)	
刹车辅助(EBA/BAS/BA等)	_
Auxiliary Braking (EBA/BAS/BA, etc.)	•
牵引力控制(ASR/TCS等)	_
Traction Control (ASR/TCS, etc.)	•
车身稳定控制(ESP/ESC等)	
Body Stability Control (ESP/ESC,	•
etc.)	
上坡辅助	_
Hill Start Assist Control	•
陡坡缓降	•
Steep Slope Descent	•
自动驻车	•
Automatic Parking	•
并线辅助	_
Parallel Auxiliary	
车道偏离预警系统	•
Lane Departure Warning System	
可变悬挂	_
Variable Suspension	
空气悬挂 Air Suspension	-
电磁感应悬挂	_
Electromagnetic Induction Suspension	
可变转向比	-
Variable Steering Ratio	
整体主动转向 Active Steering	_
Active Steering 主动剎车	
土列刺牛 Active Braking	•
active Didking	











铝合金轮圈	•	
Aluminum Alloy Wheel Hub 电动吸合门	-	
lectric Suction Door 行李架		
uggage Carrier E动闭合式进气格栅	•	
E切用音式进气恰栅 ctive Closed Air Intake Grille 近程启动	-	- Adio
lemote Start	•	
也动后备厢 Electric Trunk	•	
多应后备厢 induction Trunk	-	
	内部配置	
Inte 支质方向盘	rior Features	
eather Steering Wheel 方向盘调节	上下 ● / 远近 ●	
Steering Wheel Adjustment 多功能方向盘	Up and Down ● / Far and Near ●	
Multifunction Steering Wheel	•	
方向盘电动调节 Electric Steering Wheel Adjustment	-	
方向盘记忆	-	
demory Steering Wheel 方向盘加热	-	
leating Steering Wheel 検挡抜片	-	
Shift Paddle 泊车雷达	前●/后●	
Parking Radar 倒车视频影像	Front ● / After ● -	
Reversing Video Image 全景摄像头		
Panoramic Camera 支列成組/3年0及第2隊	•	
Transparent Chassis /540-Degree I 自动泊车入位	-	
日初四千八世 Park Assist Vision 定速巡航	-	
Cruise Control	-	
自适应巡航 Adaptive Cruise	•	
无钥匙进入 Keyless Entry	•	
无钥匙启动 Keyless Start	•	
行车电脑显示屏 Driving Computer Display Screen	•	
全液晶仪表盘 Full LCD Instrument Panel	•	
HUD抬头数字显示 HUD Heads Up Digital Display	-	
220V/230V电源 220V/230V Power Supply	-	
内置行车记录仪 Built-in Driving Recorder	-	
无线充电	•	
Wireless Charging	座椅配置	
	Configuration	
座椅材质 Seat Texture	仿皮 artificial leather	
运动风格座椅 Sports Seat	-	
座椅高低调节 Seat Height Adjustment	•	
主/副驾驶座电动调节 Electric Adjustment of Main/Copilot	主●/副●	
Seat 后排座椅电动调节	Firet ● / Second ●	
Electric Adjustment of Main Seat	-	
副驾驶座椅后排调节 Rear Adjustment of Copilot Seat	-	
腰部支撑调节 Lumbar Support Adjustment	-	
府部支撑调节 Shoulder Support Adjustment	-	
継部支撑调节 Leg Support Adjustment	-	
主/副座椅记忆 Memory of Main/Copilot seats	-	
后排座椅记忆 Rear Seat Memory	-	
座椅加热	前●/后- Front ●/After =	
Seat Heating 座椅通风 Seat Ventilation	Front ● / After - -	
Seat Ventilation 空椅按摩	-	
Seat Massage 第二排背部角度调节	-	
Second Row back Angle Adjustment 第二排独立座椅		
Second Row of Independent Seats 第二排座橋移动		
オー理座例を列 The Second Row Seats Move 后排座椅放倒方式	上例放倒	
后排座构成倒方式 Rear Seat Recline Mode 第三排座椅	Proportion Down	
Third Row Seats	- ₩ A / F A	
中央扶手 Central Handrail	前 ● / 后 ● Front ● / After ●	
后排杯架 Rear Cup Holder	•	
加热/削冷杯架 Heating/Cooling Cup Holder	-	
	多媒体配置	
Multime Wi-Fi热点	lia Configuration	
n1-r1:無点 Wi-Fi 车载导航系统	•	
Vehicle Navigation System	•	nin
蓝牙/车载电话 Bluetooth/car Phone	•	
中控彩色屏幕 Central Control Color Screen	•	
中控屏幕尺寸 Central Control Screen Size	13.2英寸 13.2 inches	MA CONTRACTOR OF THE CONTRACTO
副驾屏幕尺寸 Auxiliary Driving Screen Size	=	
中控液晶屏分屏显示 Split-screen Display of Central	_	2
.p.r. screen prapidy or centrar	_	
Control LCD		
Control LCD 后排液晶屏 Bear LCD Screen	-	

语音控制系统	•	
Voice Control System 道路救援呼叫	•	
Road Rescue Call 手机互联/映射		
Mobile Phone Interconnection/Mapping		
车载电视 Mobile TV	-	
音响品牌 Sound Brand	Infinity燕飞利仕 Infinity Yanfei Lishi	
主动降噪 Active Noise Reduction	-	
外接音源接口(AUX/USB等)	•	
External Audio Interface (AUX/USB, etc.)	_	
CD/DVD播放器 CD/DVD Player	-	
扬声器数量 Number of Speakers	11喇叭 11 speakers	
	光配置	
	Configuration	
近光灯 Low Beam	LED	
远光灯 High Beam	LED	
前雾灯 Front Fog Lamp	-	
日间行车灯 Daytime Running Light	•	
大灯高度可调	•	
High Beam height adjustable 自动大灯	•	
Automatic and Adaptive High Beam 弯道辅助照明	-	
Auxiliary Lighting of Bend 随动转向大灯	-	
Adaptive Front Lighting System	-	
远近光自动切换 Automatic Switching Between Far and	•	
Near Light 智能远光灯		
Intelligent High Beam Lamp 大灯清洗装置		
Headlight Cleaning Device 车内氛围灯	-	
Interior Atmosphere Lamp	•	
可变色氛围灯 Color-changeable Atmosphere Lamp	-	
	arview mirro 前 ● / 后 ●	
电动车窗 Electric window 一键升降车窗 One-button lifting window		
Electric window 一键升降车窗 One-button lifting window 车窗防夹手功能 Window anti-pinch function	前 ● / 后 ● Front ● / After ● 主 - 前排 - 整车 ●	
Electric window 一號升降在第 One-button lifting window 在寶勝天手功能 Window anti-pinch function 多层隔音変調	前 ● / 后 ● Front ● / After ● 主 - 前排 - 整车 ● Main-front row-complete vehicle ●	
Electric window 一健升降车窗 One-button lifting window 车窗窗夹手功能 window anti-pinch function 多层层含玻璃 Multilayer sound insulation glass 后洞色龙玻璃	前 ● / 后 ● Front ● / After ● ± - 部排 - 整车 ● Main-front row-complete vehicle ●	
Electric window 一使計算年高 One-button lifting window 车窗页头平均距 Window anti-pinch function ***SEME**** Multilayer sound insulation glass 后种配板剪 Rear privacy glass 中边功程板	前 ● / 后 ● Front ● / After ● 主 - 前律 - 整年 ● Main-front row-complete vehicle ●	
Electric window 一般持算年質 One-button lifting window 车富的夫子功能 Findow anti-pinch function 多层層資政時 Multilayer sound insulation glass 后利即系列政政政 Rear privacy glass	前 ● / 后 ● Front ● / After ● 注 ・ 前津 ・ 整年 ● ● Main-front ros-complete vehicle ●	
Electric window 一般持衛车窗 One-button lifting window 车窗的夹手功能 Findow anti-pinch function 多层确合玻璃 Multilayer sound insulation glass 后洞即是北坡湖 Rear privacy glass 电动压镜镜 Electric rearview mirror 后被旋動热 Rear view mirror heating	前 ● / 后 ● Front ● / After ● 主 ・ 前津 ・ 整年 ● Main-front ros-complete vehicle ●	
Electric window 一般持衛车窗 One-button lifting window 车窗的夹手功能 Findow anti-pinch function 多层隔音玻璃 Multilayer sound insulation glass 后排移免疫病 Rear privacy glass 电动所镜镜 Electric rearview mirror 后镜镜面热 Rear view mirror heating 后缀镜电动折叠 rearview mirror power folding	前 ● / 后 ● Front ● / After ● 注 ・ 前津 ・ 整年 ● ● Main-front ros-complete vehicle ●	
Electric window - 世界年章 のne-button lifting window 年春旬原年刊館 Findow anti-pinch function 多层隔音玻璃 Multilayer sound insulation glass 后排移免玻璃 Rear privacy glass 电动所模型 Electric rearview mirror 后程模型 高程模型 高程模型 高层模型 高层度量 高层度量 高层度量 高层度量 高层度量 高层度量 高层度量 高层度量 高层度量 高层度量 高层度量	前 ● / 后 ● Front ● / After ● 主 ・ 前津 ・ 整年 ● Main-front ros-complete vehicle ●	
Electric window - 世界年章 のne-button lifting window 车質的美子功能 **Indow anti-pinch function **SE獨首教明 **Battlayer sound insulation glass 后神彩色表現海 Rear privacy glass - 电动所设度 lectric rearview mirror 后视镜距离 Rewar view mirror heating 后视镜直动形像 Fear view mirror heating 后视镜直动动脉像 Rewariew mirror power folding 后视镜直动动脉。	前 ● / 后 ● Front ● / After ● 主 ・ 前津 ・ 整年 ● Main-front ros-complete vehicle ●	
Electric window 一使升降车窗 One-button lifting window 车窗的夹于功能 Window anti-pinch function ***********************************	前 ● / 后 ● Front ● / After ● 主 - 前神 - 整年 ● Main-front row-complete vehicle ●	
Electric window 一使計算年前 One-button lifting window *** ## ## ## ## ## ## ## ## ## ## ## ##	前 ● / 后 ● Front ● / After ● 注 - 前排 - 整年 ● Main-front row-complete vehicle ●	
Electric window 一使丹拜车窗 One-button lifting window 车面的天手功能 Window anti-pinch function **Edinate	前 ● / 后 ● Front ● / After ● 主 - 前神 - 整年 ● Main-front row-complete vehicle ●	
Electric window 一使丹泽车窗 One-button lifting window 本面的天平均底。 Window anti-pinch function ***********************************	前 ● / 后 ● Front ● / After ● 注 - 前排 - 整年 ● Main-front row-complete vehicle ●	
Electric window 一使計算年前 One-button lifting window 年前の末一時間 Window anti-pinch function 多民居各政府 Multilayer sound insulation glass 后持即是成功 Electric rearview mirror 后接股市场 Rown privacy glass Electric rearview mirror 后接股市场 Rown view mirror heating 后接股市场的破日 Lectric rearview mirror 后接股市场的破日 Lectric rearview mirror 后接股市场的破日 Lectric anti-glare of rearview mirror mirror Lectronic rearview mirror Lectronic rearview mirror Unction Sumph-rephragation Streaming media in-car rearview Electronic rearview mirror function Sumph-rephragation Streaming media in-car rearview Electronic rearview mirror function Rown-rephragation Streaming media in-car rearview Electronic rearview mirror function Rown-rephragation Rown-rephragatio	前 ● / 后 ● Front ● / After ● 注 - 前排 - 整年 ● Main-front row-complete vehicle ●	
Electric window 一使計算年寫 One-button lifting window 年前四天中河區 Window anti-pinch function 多兒后後頭 Window anti-pinch function 多兒后後頭 Multilayer sound insulation glass 后持即起東海 Waltilayer sound insulation glass 后持即起東海 Electric rearview mirror 后枝稜面站 Rear view mirror heating 后枝稜面站 Rear view mirror power folding 后枝稜面站 Fretwiew mirror power folding 后枝稜百站 Automatic anti-glare of rearview 后枝稜直站 Memory mirror 東子科片鏡鏡边鏡 Electronic rearview mirror function 流球沖下四环形成地 Streaming media in-car rearview 古诗种短葉河 Rear side sunshade 元秋村は Rear vindshield sunshade 地段村台鏡边前 Rear vindshield sunshade 地段村台鏡边前 Rear vindshield sunshade	前 ● / 后 ● Front ● / After ● 注 - 前排 - 整年 ● Main-front row-complete vehicle ●	
Electric window 一使計算年前 One-button lifting window # # # # # # # # # # # # # # # # # # #	前 ● / 后 ● Front ● / After ● 注 - 前神 - 整年 ● Main-front row-complete vehicle ●	
Electric window 一使計算年前 One-button lifting window # # # # # # # # # # # # # # # # # # #	所 ● / 后 ● Front ● / After ● 注 ・ 耐拌 ・ 整年 ● Main-front row-complete vehicle ●	
Electric window 一使計算年前 One-button lifting window 本面的美元的能 Window anti-pinch function Window anti-pinch function SEME的提頭 Multilayer sound insulation glass 后种品度調 Bear privacy glass Electric rearview mirror 后程度加热 Rear view mirror heating 后程度加热 Rear view mirror power folding 后程度加热 Antomatic anti-glare of rearview mirror 由子分石提碳力洗 Memory mirror 电子分石提碳力洗 Memory mirror 电子分石提碳力洗 Streaming media in-car rearview 后种细度设计 是任任TONIC rearview mirror function 或案件平分和定规 无序性加热的 是是是任任效值 Cosmetic mirror 用量形度用的 Rear windshield sunshade 是是提供比较镜 Cosmetic mirror 用量形度用的 居用 mirror 用量形度用的 居用 mirror 用量形度用的 居用 mirror 用量形度用的 Rear sines morror wiper 后用 mirror	前 ● / 后 ● Front ● / After ● 生 一 前神 - 整年 ● Main-front row-complete vehicle ●	
Electric window 一世升降车窗 One-button lifting window 本面的天力的能 Window anti-pinch function ***********************************	所 ● / 后 ● Front ● / After ● 注 ・ 耐拌 ・ 整年 ● Main-front row-complete vehicle ●	
Electric window 一使計算年前 One-button lifting window 本面的美年功能 Window anti-pinch function *** 多短層發調 Multilayer sound insulation glass 后转移免疫調 Hunghilayer sound insulation glass 后转移免疫調 Electric rearview mirror 后程模型加熱 Rear view mirror heating 后程模型加熱 Rear view mirror power folding 后程模型加热 Heating and anti-glare of rearview mirror 后程模型加热 Memory mirror 电子外有键动物 Wemory mirror 电子外有键动物 Streaming media in-car rearview 后转触度設许 Rear view mirror 同种种原理的 后种种原理的 是一种种原理的 是一种原理的	前 ● / 后 ● Front ● / After ● 生 前神 季年 ● Main-front row-complete vehicle ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	
Electric window 一使計算年前 One-button lifting window 本面的美年功能 Window anti-pinch function Window anti-pinch function Window anti-pinch function SEME 党级湖 Multilayer sound insulation glass 后种经度均匀。 Electric rearview mirror 后程度加热 Rear view mirror heating 后程度加热 FR程度均均分。 FR程度均均分。 Memory mirror 由子分有提键均均。 Hemory mirror 由子分有提键均均。 Treasing media in-car rearview 后种规度均匀。 后种规度设计 Memory mirror 由子分有提键均匀。 是它treasing media in-car rearview 后种规度设计 Rear windshield sunshade 是形程化技程 Consette mirror 而可能是原用的 Rear windshield sunshade 是形程化技程 Consette mirror 而可能是原用的 Rear windshield sunshade 是可能化技程 Consette mirror 而可能是原用的 Rear windshield sunshade 是可能化技程 Consette mirror 可能是原用的 Rear windshield sunshade 是可能化技程 Consette mirror 可能是原用的 Rear windshield sunshade 是可能化技程 Consette mirror 可能是原用的 Rear windshield sunshade 定用程化技程 Consette mirror 可能是原用的 Rear windshield sunshade 是可能化技程 Consette mirror 可能是原用的 Rear windshield sunshade 是可能化技程 Consette mirror 可能是原用的 Rear windshield sunshade 是可能化技程 Consette mirror 可能是原用的 Rear windshield sunshade 是可能化技术 Consetted mirror 可能是原用的 Rear windshield sunshade 是可能化技术 Consetted mirror 可能是原用的 Rear windshield sunshade 是可能化技术 Consetted mirror 可能是原用的 Rear windshield sunshade 是可能性力量 Consetted mirror 可能是可能性力量 Air condition 全种对象的 全种对象的 是可能性力量	前 ● / 后 ● Front ● / After ● 主 ー 耐津 - 整年 ● Main-front row-complete vehicle ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	
Electric window 一使丹泽车窗 One-button lifting window 本面的天于功能 Window anti-pinch function ***********************************	前 ● / 后 ● Front ● / After ● 生 前神 季年 ● Main-front row-complete vehicle ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	
Electric window 一使計算年富 One-button lifting window # # # # # # # # # # # # # # # # # # #	前 ● / 点 ● Front ● / After ● 主 ・ 前神・ 整年 ● Main-front row-complete vehicle ● ー ー ー ー ー ー ー ー ー ー ー ー ー ー ー ー ー ー	
Electric window 一使計算年富 One-button lifting window # # # # # # # # # # # # # # # # # # #	前 ● / 点 ● Front ● / After ● 注 ・ 前拝・整年 ● Main-front row-complete vehicle ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	
Electric window 一使計算年前 One-button lifting window *** 和國東等功能 *** 和國東等功能 Window anti-pinch function *** 影響學 Window anti-pinch function *** 影響學 Window anti-pinch function *** 影響學 Window anti-pinch function ### ### ### ### ### ### ### ### ### #	所 ● / 后 ● Front ● / After ● 注 ・ 前洋 ・ 整字 ● Main-front row-complete vehicle ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	
Electric window 一使計算年前 One-button lifting window ** ## # # # # # # # # # # # # # # # #	前 ● / 点 ● Front ● / After ● 注 ・ 前拝・整年 ● Main-front row-complete vehicle ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	

が北原的世 民社erior Color 内饰原色 Interior Color "●"表示有此製备,"一"表示无此製备,"○"表示选模装备



